



Kraft Stahl is located in Krefeld Germany , heart of Stainless steel in Europe as a reliable supplier of Stainless steel products.

Kraft Stahl services the oil & gas, petrochemical, Manufacturing, Construction & engineering industries with its wide range of products such as Stainless Steel Coils, sheets & plates, Welded & Seamless Pipes/ Tubes, Fittings, Flanges, Valves, Etc.

Kraft Stahl can offer technical advice in relation with type of material required by customers for different purposes such as manufacturing, alloys utilization for different fluid transfer mechanism, piping and tubing system and...



www.kraft-stahl.de



Sanitary Elbow

Sanitary Elbow

Produce sanitary unions with DIN , SMS , 3A , ISO , standards . the forged parts are made from round steel. machined by CNC machines . which can be done at different surface as client' requirement .

Technical parameters

Size	1"-4" DIN10-DN200 17.2-114.3
Material	304 304L 316 316L
Surfac qualities	1.180 Grit
	2.240 Grit
	3.320 Grit
	4.420 Grit
	5.Unpolished


Ordering Specifications

Standard
Size
Material type
Surface qualities
Quantity

Example


Standard	Size	Material	Surface qualities	Quantity
D.2wk-45°	DN40	304	2(240 Grit)	5000

45° short elbow



KS-E2001


DN	A	R	T
10	12	26	1.5
15	18	35	1.5
20	22	40	1.5
25	28	50	1.5
32	34	55	1.5
40	40	60	1.5
50	52	70	1.5
65	70	70	2.0
80	58	85	2.0
100	104	104	2.0
125	129	129	2.0
150	154	154	2.0
200	204	204	2.0



KS-E2002

DN	A	R	L	T
10	12	26	38.5	1.5
15	18	35	39.5	1.5
20	22	40	41.6	1.5
25	28	50	60.7	1.5
32	34	55	62.8	1.5
40	40	60	64.9	1.5
50	52	70	69	1.5
65	70	80	73.0	2.0
80	58	90	92.3	2.0
100	104	100	96.4	2.0
125	129	187.5	135.2	2.0


90° short elbow



KS-E2003

DN	A	R	L	T
10	12	26	26	1.5
15	18	35	35	1.5
20	22	40	40	1.5
25	28	50	50	1.5
32	34	55	55	1.5
40	40	60	60	1.5
50	52	70	70	1.5
65	70	80	80	2.0
80	85	90	90	2.0
100	104	100	100	2.0
125	129	187.5	187.5	2.0
150	154	225	225	2.0
200	204	300	300	2.0


90° short elbow



KS-E2004

DN	A	R	L	T
10	12	26	51	1.5
15	18	35	60	1.5
20	22	40	65	1.5
25	28	50	90	1.5
32	34	55	95	1.5
40	40	60	100	1.5
50	52	70	110	1.5
65	70	80	120	2.0
80	85	90	145	2.0
100	104	100	155	2.0
125	129	187.5	245	2.0


180° elbow



KS-E2005


SIZE	A	L	R	H	T
20	22	80	40	40	1.5
25	28	100	50	50	1.5
32	34	110	55	55	1.5
40	40	120	60	60	1.5
50	52 t	140	70	70	1.5
65	70	160	80	80	2.0
80	85	180	90	90	2.0
100	104	200	100	100	2.0
125	129	375	187.5	187.5	2.0
150	154	450	225	225	2.0

45° short elbow



KS-E2006


SIZE	A	B	T
25	25	15.53	1.50
38	38	23.61	1.50
51	51	31.69	1.50
63.5	63.5	39.45	1.50
76	76.1	47.28	2.0
104	104	63.0	2.0



KS-E2007

SIZE	A	B	T
25	25	42.53	1.50
38	38	56.61	1.50
51	51	68.69	1.50
63.5	63.5	78.45	1.50
76	76.1	85.28	2.0
104	104	103.0	2.0


90° short elbow



KS-E2008

SIZE	A	B	T
25	25	37.5	1.50
38	38	57.0	1.50
51	51	76.5	1.50
63.5	63.5	95.25	1.50
76	76.1	114.15	2.0
104	104	152.1	2.0


90° long elbow



KS-E2009

SIZE	A	B	T
25	25	52.5	1.50
38	38	72.0	1.50
51	51	91.5	1.50
63.5	63.5	113.25	1.50
76	76.1	132.15	2.0
104	104	172.1	2.0


45° short elbow



KS-E2010

SIZE	A	B	T
1.0"	25.4	15.8	1.65
1.5"	38.1	23.8	1.65
2.0"	50.8	31.75	1.65
2.5"	63.5	39.6	1.65
3.0"	76.2	47.6	1.65
4.0"	101.6	63.5	2.10


45° long elbow



KS-E2011

SIZE	A	B	T
1.0"	25.4	30.2	1.65
1.5"	38.1	41.3	1.65
2.0"	50.8	58.7	1.65
2.5"	63.5	76.2	1.65
3.0"	76.2	93.7	1.65
4.0"	101.6	63.5	2.10


90° short elbow



KS-E2012

SIZE	A	B	T
1.0"	25.4	38.1	1.65
1.5"	38.1	57.2	1.65
2.0"	50.8	76.2	1.65
2.5"	63.5	95.25	1.65
3.0"	76.2	114.3	1.65
4.0"	101.6	152.4	2.10


90° long elbow



KS-E2013

SIZE	A	B	T
1.0"	25.4	52.4	1.65
1.5"	38.1	74.6	1.65
2.0"	50.8	103.2	1.65
2.5"	63.5	131.8	1.65
3.0"	76.2	160.3	1.65
4.0"	101.6	211.1	2.10


45° Clamp elbow



KS-E2014

SIZE	A	B
1.0"	50.5	28.5
1.5"	50.5	36.5
2.0"	64.0	44.45
2.5"	77.5	52.3
3.0"	91.0	60.3
4.0"	119.0	76.2

90° Clamp elbow



KS-E2015

SIZE	A	B	L
1.0"	50.5	30.2	50.8
1.5"	50.5	41.3	69.9
2.0"	64.0	58.7	88.9
2.5"	77.5	76.2	107.95
3.0"	91.0	93.7	127.0
4.0"	119.0	63.5	168.2



Kraft Stahl mh OHG

Liesentorweg 3

D 47802 Kerefeld

Germany

Phone: +49(0)2151 56 951 18

Fax: +49(0)2151 56 950 50

E-Mail: info@kraft-stahl.de

Web Site: www.kraft-stahl.de

Commercial Register No. : HRA 5743 Krefeld local court

Note: Detailed technical data & specification may change with out prior notice. please check before ordering.



www.kraft-stahl.de