



Kraft Stahl is located in Krefeld Germany , heart of Stainless steel in Europe as a reliable supplier of Stainless steel products.

Kraft Stahl services the oil & gas, petrochemical, Manufacturing, Construction & engineering industries with its wide range of products such as Stainless Steel Coils, sheets & plates, Welded & Seamless Pipes/ Tubes, Fittings, Flanges, Valves, Etc.

Kraft Stahl can offer technical advice in relation with type of material required by customers for different purposes such as manufacturing, alloys utilization for different fluid transfer mechanism, piping and tubing system and...



www.kraft-stahl.de



Sanitary Tees

Sanitary Tees

Produce sanitary unions with DIN , SMS , 3A , ISO , standards . the forged parts are made from round steel . machined by CNC machines . which can be done at different surface as client' requirement .

Technical parameters


Size	1"-4" DIN10-DN200 17.2-114.3
Material	304 304L 316 316L
Surfac qualities	1.180 Grit 2.240 Grit 3.320 Grit 4.420 Grit 5.Unpolished

Ordering Specifications

Standard
Size
Material type
Surface qualities
Quantity



Example

Standard	Size	Material	Surface qualities	Quantity
D.2wk-45°	DN40	304	2(240 Grit)	5000





KS-E2101

SIZE	A	L	H	T
10	12	26	9	1.5
15	18	35	11	1.5
20	22	40	13	1.5
25	28	50	14	1.5
32	34	54.5	19.5	1.5
40	40	60	23	1.5
50	52	70	30	1.5
65	70	80	40	2.0
80	58	90	47.5	2.0
100	104	100	58	2.0
125	129	187.5	74	2.0
150	154	335	90	2.0
200	204	300	115	2.0





KS-E2102

SIZE	D	D1	L	L1	T
25-20	28	22	50	17	1.5
32-25	34	28	55	19.5	1.5
40-25	40	28	60	22.5	1.5
40-32	40	34	60	22.5	1.5
50-25	52	28	70	29.5	2.0
50-32	52	34	70	29.5	2.0
50-40	52	40	70	29.5	2.0
65-25	70	28	80	39	2.0
65-32	70	34	80	39	2.0
65-40	70	40	80	39	2.0
65-50	70	52	80	39	2.0
80-25	85	28	90	46.5	2.0
80-32	85	34	90	46.5	2.0
80-40	85	40	90	46.5	2.0
80-50	85	52	90	46.5	2.0
80-65	85	70	90	46.5	2.0




KS-E2102

SIZE	D	D1	L	L1	T
100-25	104	28	100	56	2.0
100-32	104	34	100	56	2.0
100-40	104	40	100	56	2.0
100-50	104	52	100	56	2.0
100-65	104	70	100	56	2.0
100-80	104	85	100	56	2.0
125-25	129	28	187.5	68.5	2.0
125-32	129	34	187.5	68.5	2.0
125-40	129	40	187.5	68.5	2.0
125-50	129	52	187.5	68.5	2.0



KS-E2102


SIZE	D	D1	L	L1	T
125-65	129	70	187.5	68.5	2.0
125-80	129	85	187.5	68.5	2.0
125-100	129	104	187.5	68.5	2.0
150-32	154	34	225	81	2.0
150-40	154	40	225	81	2.0
150-50	154	52	225	81	2.0
150-65	154	70	225	81	2.0
150-80	154	85	225	81	2.0
150-100	154	104	225	81	2.0
150-125	154	129	225	81	2.0



KS-E2103

SIZE	A	B	L	T
28	25	110	55	1.5
38	38	140	70	1.5
51	51	164	81	1.5
63.5	63.5	210	105	1.5
76	76.1	220	110	2.0
104	104	300	150	2.0



Pull tee



KS-E2104


SIZE	A	B	L	T
28	25	110	15	1.5
38	38	140	21	1.5
51	51	164	29	1.5
63.5	63.5	210	36	1.5
76	76.1	220	44	2.0
104	104	300	58	2.0

Reducing short cross/tee



KS-E2205


SIZE	A	B	C	L	T	t
38 X 25	38	104	25	21	1.25	1.50
51 X 25	51	164	25	29	1.25	1.50
51 X 38	51	164	38	29	1.25	1.50
63.5 X 25	63.5	210	25	36	1.50	1.50
63.5 X 38	63.5	210	38	36	1.50	1.50
63.5 X 51	63.5	210	51	36	1.50	1.50
76 X 25	76.1	220	25	44	1.65	2.0
76 X 38	76.1	220	38	44	1.65	2.0
76 X 51	76.1	220	51	44	1.65	2.0
76 X 63.5	76.1	220	63.5	44	1.65	2.0
104 X 25	104	300	25	58	1.65	2.0
104 X 38	104	300	38	58	2.0	2.0
104 X 51	104	300	51	58	2.0	2.0
104 X 63.5	104	300	63.5	58	2.0	2.0
104 X 76	104	300	76.1	58	2.0	2.0



KS-E2106

SIZE	A	B	L	T
1.0"	25.4	57.2	28.6	1.65
1.5"	38.1	84.2	42.1	1.65
2.0"	50.8	104.8	52.4	1.65
2.5"	63.5	119.0	59.5	1.65
3.0"	76.2	131.8	65.9	1.65
4.0"	101.6	174.6	87.3	2.10


Equal long tee



KS-E2107


SIZE	A	B	L	T
1.0"	25.4	95.2	47.6	1.65
1.5"	38.1	84.2	57.2	1.65
2.0"	50.8	104.8	76.2	1.65
2.5"	63.5	152.4	76.2	1.65
3.0"	76.2	165.2	82.6	1.65
4.0"	101.6	196.8	98.4	2.10

Weld/Male Butterfly valve



KS-E2208


SIZE	A	C	B	L	T
1.5" X 1.0"	38.1	25.4	57.15	53.98	1.65
2.0" X 1.0"	50.8	25.4	76.2	60.30	1.65
2.0" X 1.5"	50.8	38.1	76.2	63.50	1.65
2.5" X 1.5"	63.5	38.1	76.2	69.85	1.65
2.5" X 2.0"	63.5	50.8	76.2	82.55	1.65
3.0" X 1.5"	76.2	38.1	82.55	76.2	1.65
3.0" X 2.0"	76.2	50.8	82.55	88.9	1.65
3.0" X 2.5"	76.2	63.5	82.55	82.55	1.65
4.0" X 2.0"	101.6	50.8	98.4	101.6	2.10
4.0" X 2.5"	101.6	63.5	98.4	95.25	2.10
4.0 X 3.0"	101.6	76.2	98.4	95.25	2.10



KS-E2109


SIZE	A	B	L
28.5	50.5	120.6	60.3
36.5	50.5	139.8	69.9
44.45	64.0	177.8	88.9
52.3	77.5	177.8	88.9
60.3	91.0	190.6	95.3
76.2	119.0	228.4	114.2

Clamp cross



KS-E2110


SIZE	A	B
1.0"	50.5	120.6
1.5"	50.5	139.8
2.0"	64.0	177.8
2.5"	77.5	177.8
3.0"	91.0	190.6
4.0"	119.0	228.4



KS-E2111

SIZE	A	B	L	T
1.0"	25.4	57.2	28.6	1.65
1.5"	38.1	84.2	42.1	1.65
2.0"	50.8	104.6	52.4	1.65
2.5"	63.5	119.0	59.5	1.65
3.0"	76.2	131.8	65.9	1.65
4.0"	101.6	174.6	87.3	2.10


Welding long cross



KS-E2112

SIZE	A	B	L	T
1.0"	25.4	95.2	47.6	1.65
1.5"	38.1	84.2	57.2	1.65
2.0"	50.8	104.8	76.2	1.65
2.5"	63.5	152.4	76.2	1.65
3.0"	76.2	165.2	82.6	1.65
4.0"	101.6	196.8	98.4	2.10


Clamp reducer tee



KS-E2113

SIZE	A	C	B	L
1.5" X 1.0"	50.5	50.5	69.85	66.68
2.0" X 1.0"	64.0	50.5	88.90	73.0
2.0" X 1.5"	64.0	50.5	88.90	76.20
2.5" X 1.5"	77.5	50.5	88.90	82.55
2.5" X 2.0"	77.5	64.0	88.90	95.25
3.0" X 1.5"	91.0	50.5	92.58	88.90
3.0" X 2.0"	91.0	64.0	95.25	101.6
3.0" X 2.5"	91.0	77.5	95.25	95.25
4.0" X 2.0"	119.0	64.0	114.2	114.3
4.0" X 2.5"	119.0	77.5	114.2	107.95
4.0 X 3.0"	119.0	91.0	114.2	107.95


Pull tee straight



KS-E2114

SIZE	A	B	L	T
1.0"	25.4	57.2	16	1.65
1.5"	38.1	84.2	22	1.65
2.0"	50.8	104.8	29	1.65
2.5"	63.5	119.0	35	1.65
3.0"	76.2	131.8	41	1.65
4.0"	101.6	174.6	54	2.10

Reducing short tee



KS-E2215

SIZE	A	B	C	L	T
1.5" X 1.0"	38.1	42.1	25.4	22	1.65
2.0" X 1.5"	50.8	52.4	38.1	29	1.65
2.0" X 2.0"	63.5	59.5	50.8	35	1.65
3.0" X 2.0"	76.2	65.9	50.8	41	1.65
3.0" X 2.5"	76.2	65.9	63.5	41	1.65
4.0" X 2.0"	101.6	117.5	50.8	54	2.10
4.0" X 2.5"	101.6	117.5	63.5	54	2.10
4.0" X 3.0"	101.6	117.5	76.2	54	2.10



Kraft Stahl mh OHG

Liesentorweg 3

D 47802 Kerefeld

Germany

Phone: +49(0)2151 56 951 18

Fax: +49(0)2151 56 950 50

E-Mail: info@kraft-stahl.de

Web Site: www.kraft-stahl.de

Commercial Register No. : HRA 5743 Krefeld local court

Note: Detailed technical data & specification may change with out prior notice. please check before ordering.



www.kraft-stahl.de